What is claimed is:

1. A compound of formula (I)



(I)

wherein:

R_1 is H or substituted or unsubstituted (C_{1-6})alkyl;

R_2 is substituted or unsubstituted aryl, (C_{3-7})cycloalkyl, or heterocycle;

R_3 is H or substituted or unsubstituted (C_{1-6})alkyl, (C_{3-7})cycloalkyl, aryl or heterocycle;

A is NR_8 or O;

R_8 is H or substituted or unsubstituted (C_{1-6})alkyl;

R_4 is substituted or unsubstituted phenyl;

R_5 is H or up to three substitutents independently selected from the list consisting of alkyl, alkenyl, aryl, alkoxy, or a hydroxylated deriviative thereof, hydroxy, halogen, nitro, cyano, carboxy, alkylcarboxy, alkylcarboxyalkyl, haloalkyl, amino or mono- or dialkylamino; or R_5 represents a bridging moiety which is arranged to bridge two adjacent ring atoms wherein the bridging moiety comprises alkyl or dioxyalkylene;

R_6 is H or halo;

R_7 is oxo; and

n is 1 to 4.

2. A compound according to claim 1 wherein R_1 is methyl.

3. A compound according to claim 1 wherein R_2 is substituted or unsubstituted phenyl or cyclohexyl.

4. A compound according to claim 1 wherein R_3 or methyl or substituted or unsubstituted morpholino, piperizine, pyrrole, piperidine, thiophene, imidazole, or pyrazole.

5. A compound according to claim 1 wherein R_8 is H or methyl.

6. A compound according to claim 1 wherein R_4 is phenyl substituted with one to three fluorines.

7. A compound according to claim 1 wherein R_5 is H or fluoro.

8. A compound according to claim 1 wherein R_6 is H or fluoro.

9. A compound according to claim 1 which is:
2-(3,5-Difluoro-phenyl)-6-fluoro-3-{4-[2-(4-methyl-piperazin-1-yl)-2-oxo-ethyl]-3-oxo-piperazin-1-ylmethyl}-quinoline-4-carboxylic acid ((S)-1-cyclohexyl-ethyl)-amide;

2-(3,5-Difluoro-phenyl)-6-fluoro-3-[3-oxo-piperidin-1-yl-ethyl)-piperazin-1-ylmethyl]-quinoline-4-carboxylic acid ((S)-1-cyclohexyl-ethyl)-amide;

6-Fluoro-2-(4-fluoro-phenyl)-3-[4-(2-morpholin-4-yl-2-oxo-ethyl)-3-oxo-piperazin-1-ylmethyl]-quinoline-4-carboxylic acid ((S)-1-cyclohexyl-ethyl)-amide;

6-Fluoro-2-(4-fluoro-phenyl)-3-{4-[2-(4-methyl-piperazin-1-yl)-2-oxo-ethyl]-3-oxo-piperazin-1-ylmethyl}-quinoline-4-carboxylic acid ((S)-1-cyclohexyl-ethyl)-amide; and

6-Fluoro-2-(4-fluoro-phenyl)-3-[3-oxo-4-(2-oxo-2-pyrrolidin-1-yl-ethyl)-piperazin-1-ylmethyl]-quinoline-4-carboxylic acid ((S)-1-cyclohexyl-ethyl)-amide; or a pharmaceutically acceptable salt thereof.

10. A process for the preparation of a compound of formula (I) according to claim 1 or a salt thereof and/or a solvate thereof, which process comprises reacting a compound of formula (II) or an active derivative thereof:



(II)

wherein R'_4, R'_5, R'_6 and X' are R_4, R_5, R_6 and X respectively as hereinbefore defined in relation to formula (I) or a group convertible to R_4, R_5, R_6 and X respectively; with a compound of formula (III):



(III)

wherein R'_1 and R'_2, are R_1 and R_2 as defined for formula (I) or a group or atom convertible to R_1 and R_2 respectively; to form a compound of formula (Ic):



(Ic)

wherein R'_1, R'_2, X', R'_4, R'_5 and R'_6 are as defined above, and thereafter carrying out one or more of the following optional steps:

(i) converting any one of R'_1, R'_2, X', R'_4, R'_5 and R'_6 to R_1, R_2, X, R_4, R_5 and R_6 respectively as required, to obtain a compound of formula (I);

(ii) converting a compound of formula (I) into another compound of formula (I); and

(iii) preparing a salt of the compound of formula (I) and/or a solvate thereof.

11. A pharmaceutical composition which comprises a compound according to claim 1 and a pharmaceutically acceptable carrier.

12. A method of treating respiratory diseases in mammals, which comprises administering an effective amount of a compound according to claim 1.